

WWPD: Control

What would Python display?

Assume the following code has been executed.

```
def mystery(a, b, c, d):
    if a < 0:
        return None
    while b < c:
        c = c - 1
        d = d + 3
    return c > d

print(mystery(1, 2, 3, 4)) # (a)
print(mystery(1, 2, 3, -4)) # (b) & (c)
print(mystery(1, -2, -3, 4)) # (d)
print(mystery(-1, -2, 3, -1)) # (e)
```

1. (1.5 pt) What value is printed at **(a)**?
 - A. True
 - B. False
 - C. None
2. (1.5 pt) What value is printed at **(b)**?
 - A. True
 - B. False
 - C. None
3. (1.5 pt) What value is bound to `c` in the local frame at the *end* of the second function call to `mystery` at **(c)**?
 - A. 0
 - B. 1
 - C. 2
 - D. 3
 - E. -4
4. (1.5 pt) What value is printed at **(d)**?
 - A. True
 - B. False
 - C. None
5. (1.0 pt) What value is printed at **(e)**?
 - A. True
 - B. False
 - C. None

Function Equivalence: Exponentiation

Definition. Two functions f and g have identical behavior if $f(x)$ and $g(x)$ return equal values or return functions with identical behavior, for every x that does not cause an error.

```
from operator import mul

def double(x):
    return x * 2

def triple(x):
    return x * 3

def enigma(y):
    # Hint: look at the parentheses very carefully
    return double(triple(y)) * triple(triple(y))

def multiply_by(a):
    def slow_multiplication(b):
        sum = 0
        x = 0
        while (x < a):
            sum = b + sum
            x = x + 1
        return total
    return slow_multiplication
```

NOTE: the function `mul(x, y)` computes $x*y$.

6. (2.0 pt) The result of evaluating `multiply_by(2)(5)` has identical behavior to the result of evaluating the expression ... (check all that apply)
- A. `enigma(6)`
 - B. `enigma(2)`
 - C. `enigma(5)`
 - D. `double(5)`
 - E. `double(2)`
 - F. `triple`
 - G. `triple(5)`
 - H. `mul(5, 2)`
 - I. `mul(2, 5)`
 - J. `mul(3, 4)`
 - K. `mul`

7. (2.0 pt) The result of evaluating `multiply_by(3)(5)` has identical behavior to the result of evaluating the expression ... (check all that apply)

- A. `enigma(1)`
- B. `enigma(2)`
- C. `enigma(3)`
- D. `engima`
- E. `triple(5)`
- F. `triple(3)`
- G. `triple`
- H. `mul(3, 5)`
- I. `mul(15, 1)`
- J. `mul(2, 10)`
- K. `mul`

8. (2.0 pt) The result of evaluating `multiply_by(2)` has identical behavior to the result of evaluating the expression ... (check all that apply)

- A. `enigma(10)`
- B. `enigma`
- C. `double(2)`
- D. `double(5)`
- E. `double`
- F. `mul(2, 5)`
- G. `mul(1, 10)`
- H. `mul`

9. (2.0 pt) What is the type of the return value for the function `multiply_by`?

- A. Function
- B. Integer
- C. Float
- D. String
- E. None

10.(2.0 pt) What is/are the type of the return value(s) for the function `enigma`? (check all that apply)


- A. Function
- B. Integer
- C. Float
- D. String
- E. None

(8.0 points) Chem 105

Consider the environment diagram (and print output) below, followed by the code that generated it.

Print output (drag lower right corner to resize)

```
10.0 atoms hydrogen.  
5.0 atoms oxygen.  
Produces 5.0 molecules of water
```



```
def multiplier_maker(n):  
    return lambda element : _____(a)* n
```

```
def make_water( multiplier ):  
    nhydrogen, noxygen = 2.0, 1.0  
    nmolecules = _____(d)  
    print( str(multiplier(nhydrogen) ) + ' atoms hydrogen.' )  
    print( str(multiplier(noxygen) ) + ' atoms oxygen.' )  
    print( 'Produces ' + str(multiplier( _____(b) )) + ' molecules of water.' )
```

```
make_water( _____(c) (5.0) )
```

11.(2.0 pt) Which one of these could fill in blank **(a)**?

- A. n
- B. element
- C. multiplier
- D. make_water
- E. 3.0
- F. 5.0

12.(2.0 pt) Which one of these could fill in blank **(b)** to get the environment diagram shown?

- A. nmolecules
- B. nhydrogen
- C. noxygen
- D. lambda x : x
- E. 10.0
- F. 1.0

13.(2.0 pt) Which one of these could fill in blank **(c)**?

- A. element
- B. make_water
- C. nmolecules
- D. lambda x : multiplier_maker(x)
- E. multiplier
- F. lambda element : element * n
- G. multiplier_maker

14.(2.0 pt) Which one of these could fill in blank **(d)**?

- A. 3.0
- B. 6.0
- C. 9.0
- D. 1.0
- E. 9.0, 3.0
- F. 5.0
- G. multiplier

(8 points) Classes/Objects - Fill-in-the-blank and WWPD

Consider the following class definitions:

```
class Bookshelf:
    def __init__(self, capacity, books=[]):
        self.capacity = capacity
        self.books = []
        for book in books:
            self.addBook(book)

    def addBook(self, book):
        if len(self.books) == self.capacity:
            print(f'Bookshelf is full. Could not add \'{book.title}\'.')
            return
        if (a): # verify that 'book' is the right type
            self.books.append(book)

    def __add__(self, other):
        if isinstance(other, Bookshelf):
            return [self, other]
        elif isinstance(other, Book):
            shelf2 = Bookshelf(self.capacity, list(self.books))
            shelf2.addBook(other)
            return shelf2

    def __str__(self): # this gets called by print() and str()
        book_string = ', '.join([str(a) for a in self.books])
        space = self.capacity - len(self.books)
        return f'Books: {book_string}; This shelf can fit {space} more books'

    def __repr__(self): # this gets called by repr() or when the object is
        # displayed within an iterable/collection
        book_string = ', '.join([repr(a) for a in self.books])
        return f'Bookshelf({self.capacity},[{book_string}])'

class Book:
    def (b):
        self.title, self.author = title, author

    def (c):
        return f'Book(\'{self.title}\',\'{self.author}\')'

    def (d):
        return self.title + ', written by ' + self.author
```

Indicate what should appear in blanks **(a)** - **(d)** above:

15.(1 pt) Which of the following should appear in blank **(a)**

- A. `is Book('Frankenstein', 'Mary Shelley')`
- B. `== Book('Frankenstein', 'Mary Shelley')`
- C. `isinstance(book, Bookshelf)`
- D. `isinstance(book, Book)`
- E. `== new Book()`

16.(2 pts) Which of the following should appear in blank **(b)**

- A. `__init__(self, title, author)`
- B. `__add__(self, other)`
- C. `__repr__(self)`
- D. `__act__(self)`
- E. `__str__(self)`

17.(1 pt) Which of the following should appear in blank **(c)**

- A. `__init__(self, author, title)`
- B. `__add__(self, other)`
- C. `__repr__(self)`
- D. `__act__(self)`
- E. `__str__(self)`

18.(1 pt) Which of the following should appear in blank **(d)**

- A. `__init__(self, author, title)`
- B. `__add__(self, other)`
- C. `__repr__(self)`
- D. `__act__(self)`
- E. `__str__(self)`

Given the code below, what would Python display for each of the following?

```
fiction_shelf = Bookshelf(10)
nonfiction_shelf = Bookshelf(1)
frankenstein = Book('Frankenstein', 'Mary Shelley')
coraline = Book('Coraline', 'Neil Gaiman')
print(frankenstein) (e)
adams = Book('John Adams', 'David McCullough')
hamilton = Book('Alexander Hamilton', 'Ron Chernow')
nonfiction_shelf.addBook(adams)
nonfiction_shelf += hamilton (f)
fiction_shelf.addBook(frankenstein)
fiction_shelf += coraline
str(fiction_shelf) (g)
```

19.(1 pt) Which of the following would be displayed by executing **(e)**

- A. Coraline
- B. Frankenstein
- C. Book('Frankenstein', 'Mary Shelley')
- D. 'Frankenstein'
- E. 'Frankenstein, written by Mary Shelley'

20.(1 pt) Which of the following would be displayed by executing **(f)**

- A. Nothing
- B. Bookshelf is full. Could not add 'Alexander Hamilton'.
- C. [Book('John Adams', 'David McCullough'), Book('Alexander Hamilton', 'Ron Chernow')]
- D. Chernow']]
- E. Alexander Hamilton, written by Ron Chernow
- F. [Bookshelf(1, 'John Adams, Alexander Hamilton')]

21.(1 pt) Which of the following would be displayed by executing **(g)**

- A. 'This shelf can fit 0 more books; Books: John Adams, written by David McCullough'
- B. 'Books: John Adams, written by David McCullough; This shelf can fit 0 more books'
- C. 'Coraline, written by Neil Gaiman; This shelf can fit 8 more books, Books: Frankenstein, written by Mary Shelley'
- D. 'Books: Frankenstein, written by Mary Shelley, Coraline, written by Neil Gaiman; This shelf can fit 8 more books'
- E. 'Books: Frankenstein, written by Mary Shelley, Coraline, written by Neil Gaiman; This shelf can fit 8 more books | Books: John Adams, written by David McCullough; This shelf can fit 0 more books'

(7 points) File I/O, Random Numbers, & Lists

Consider the following program which is invoked by passing in three command-line arguments: 1) an input filename, 2) an output filename, and 3) and integer for the number of output sets to produce.

rand_num_game.py:

```
import sys
from random import randint

def randNumUpTo(n):
    return lambda : randint(1,n)

if __name__ == '__main__':
    iFile = open(sys.argv[1])
    oFile = _____ (a)
    threshold = _____ (b)

    lines = iFile.readlines()
    names = [player.strip() for player in lines] (c)

    oneToHundred = randNumUpTo(100) (d)
    for i in range(threshold): (e)
        oFile.write("Round " + str(i + 1) + "\n" )
        for name in names:
            multiplier = randNumUpTo(5) ()
            randScore = oneToHundred() * multiplier (f)
            oFile.write(f"{name}: {randScore}\n") (g)
        oFile.write("\n")

    iFile.close()
    oFile.close()
```

Assume the program is invoked with the following command:

```
python rand_num_game.py players.txt scores.txt 4
```

And **players.txt** contains the following lines:

```
Dylan
Bob
Jim
Quentin
Ralph
```

22.(1 pt) Which of the following would be the correct syntax to open the output file (scores.txt) for writing at line (a)?

- A. `open(argv[2])`
- B. `open(argv[2], 'w')`
- C. `open(sys.argv[2], 'w')`
- D. `open(sys.argv[2])`

23. (1 pt) Which of the following would be the correct syntax to convert the last command-line argument to an integer on line (b)?

- A. `argv[3]`
- B. `sys.argv[3]`
- C. `int(argv[3])`
- D. `int(sys.argv[3])`
- E. `float(argv[3])`
- F. `float(sys.argv[3])`

24.(1 pt) What is the content of the list generated by the list comprehension on line (c)?

- A. `[Dylan\n, Bob\n, Jim\n, Quentin\n, Ralph\n]`
- B. `['Dylan', 'Bob', 'Jim', 'Quentin', 'Ralph']`
- C. `['Dylan\n', 'Bob\n', 'Jim\n', 'Quentin\n', 'Ralph\n']`
- D. `'Dylan', 'Bob', 'Jim', 'Quentin', 'Ralph'`

25. (1 pt) What is the type of the object bound to the name `d6` on line (d)?

- A. List
- B. Function
- C. String
- D. Integer
- E. Float

26. (1 pt) What is the range of values that `i` can have on line (e)?

- A. 1, 2
- B. 1, 2, 3
- C. 0, 1, 2
- D. 0, 1, 2, 3
- E. 0, 1, 2, 3, 4

27.(1 pt) What are the minimum and maximum values `val` can have on line (f)?

- A. `min = 0, max = 100`
- B. `min = 1, max = 250`
- C. `min = 1, max = 500`
- D. `min = 1, max = 100`
- E. `min = 3, max = 500`

28. (1 pt) If `randScore` is bound to the number 43, what will be the string written the fifth time line (g) is executed?

- A. `"Ralph: 43"`
- B. `"Bob:43"`
- C. `"Jim: 34\n"`
- D. `"Ralph: 43\n"`
- E. `"Quentin:43\n"`